

Price List for Custom Peptide Pricing List (in DKK)

| Purity | Desalted | >75% | >85% | >90% | >95% | >98% |
|---------------|----------|------|------|------|------|------|
| Amount | | | | | | |
| 1 mg | 41 | 69 | 77 | 82 | 86 | 112 |
| 2 mg | 41 | 70 | 78 | 83 | 89 | 100 |
| 5 mg | 43 | 74 | 82 | 87 | 92 | 120 |
| 10 mg | 47 | 78 | 87 | 93 | 99 | 129 |
| 15 mg | 52 | 86 | 101 | 107 | 113 | 128 |
| 20 mg | 56 | 94 | 110 | 117 | 123 | 137 |
| 25 mg | 60 | 101 | 115 | 121 | 128 | 166 |
| 30 mg | 66 | 112 | 127 | 132 | 140 | 158 |
| 50 mg | 76 | 124 | 141 | 150 | 158 | 205 |
| 100 mg | 92 | 151 | 170 | 181 | 189 | 245 |

The above prices are per amino acid

Please inquire for a larger scale of peptide >30

Min. order is 6-mer

CUSTOM PEPTIDE MODIFICATION >75% (in DKK)

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|-------|-------|-------|-------|-------|--------|
| Acetylation (N-Terminal) | 138 | 155 | 189 | 250 | 300 | 394 |
| Acetylation (Lys) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Formylation (N-Terminal) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Fatty acid (N-Terminal) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Myristic acid (N-Terminal) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Palmytolyl (N-Terminal) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Cys(Acm), Cys(tBu) | 566 | 592 | 618 | 677 | 943 | 1.047 |
| Benzyloxycarbonylation (CBZ) | 138 | 155 | 189 | 250 | 300 | 394 |
| Amidation (C-Terminal) | 138 | 155 | 189 | 250 | 300 | 394 |
| p-Nitroanilide (pNA, C-Terminal) | 866 | 892 | 918 | 978 | 1.287 | 1.389 |
| AMC (C-Terminal) | 1.210 | 1.235 | 1.260 | 1.320 | 1.895 | 1.998 |
| Succinylation (Suc, N-Terminal) | 267 | 283 | 317 | 377 | 489 | 592 |
| NHS (OSu, C-Terminal) | 3.156 | 3.181 | 3.206 | 3.267 | 4.227 | 4.322 |

Special amino acid:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|--|----------------|-------|-------|-------|-------|--------|
| D-Ile | 781 | 806 | 833 | 892 | 1.260 | 1.364 |
| D-Arg, D-Cys, D-Asp, D-Asn, D-Glu, D-Gln, D-Ser, D-His, D-Thr, D-Trp, D- Lys, D-Tyr, D-Orn, Orn, Abu, Aib, (D)1-Nal, (D)2-Pal, (D)4-Cl-Phe, Nva, Nle, Hse, Hcy, Pen, Mpa | 566 | 592 | 618 | 677 | 943 | 1.047 |
| N-Methyl amino acid (Ala, Phe, Leu, Ile, Val, Gly, Met) | 3.156 | 3.181 | 3.206 | 3.267 | 4.227 | 4.322 |
| D-Ala, D-Leu, D-Met, D-Pro, D-Val, D-Phe, b-Ala, pGlu, Hyp | 352 | 369 | 404 | 463 | 600 | 704 |
| Other amino acids | Please inquire | | | | | |
| Dinitrobenzoylation (Lys) | 1.210 | 1.235 | 1.260 | 1.320 | 1.895 | 1.998 |
| Lys(Me2) | 1.210 | 1.235 | 1.260 | 1.320 | 1.895 | 1.998 |
| Phosphorylation(Tyr, Ser, Thr, single site) | 1.210 | 1.235 | 1.260 | 1.320 | 1.895 | 1.998 |
| Tyr(SO3H2) | 2.290 | 2.315 | 2.341 | 2.401 | 3.533 | 3.635 |
| Ser(octanoic acid) | 3.156 | 3.181 | 3.206 | 3.267 | 4.227 | 4.322 |

Fluorescence/Dye/Biotin Labeling:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|-------------|-------------|--------------|--------------|--------------|---------------|
| Biotin (N-Terminal, Y/N Ahx) | 429 | 429 | 429 | 429 | 652 | 652 |
| Biotin (Lys in sequence) | 1.724 | 1.724 | 1.724 | 1.724 | 2.590 | 2.590 |
| Biotin (without Lys in sequence) | 1.861 | 1.886 | 1.912 | 1.972 | 2.890 | 2.984 |
| FITC/5-FAM (N-Terminal, Y/N Ahx) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| Dansyl (N-Terminal, Y/N Ahx) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| MCA (N-Terminal) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| HYNIC (N-Terminal) | 1.947 | 1.947 | 1.947 | 1.947 | 2.890 | 2.890 |
| DTPA (N-Terminal) | 1.947 | 1.947 | 1.947 | 1.947 | 2.890 | 2.890 |

Cyclic peptide:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|-------------|-------------|--------------|--------------|--------------|---------------|
| Disulfide bridge 1 st | 1.724 | 1.724 | 1.724 | 1.724 | 2.590 | 2.590 |
| Disulfide bridge 2 nd | 3.456 | 3.456 | 3.456 | 3.456 | 5.178 | 5.178 |
| Disulfide bridge 3 rd | 17.257 | 17.257 | 17.257 | 17.257 | 25.890 | 25.890 |
| Amide cyclic (Side chain, end) | 5.178 | 5.178 | 5.178 | 5.178 | 6.730 | 6.730 |

Quenched fluorescent peptide:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|-------------------------------|-------------|-------------|--------------|--------------|--------------|---------------|
| Abz/ Tyr (3-NO ₂) | 1.595 | 1.595 | 1.595 | 1.595 | 2.290 | 2.290 |
| EDANS or DABCYL | 2.590 | 2.590 | 2.590 | 2.590 | 3.884 | 3.884 |

Multiple Antigenic Peptide System:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|---|-------------|-------------|--------------|--------------|--------------|---------------|
| Asymmetric 4 branches | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| Asymmetric 8 branches | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| BSA | 2.507 | 2.507 | 2.507 | 2.507 | 3.260 | 4.025 |
| Aliquoting (each) | | | | | | 41,4 |
| Amino Acid Analysis (AAA) – qualitative | | | | | | 429 |
| KLH | 2.749 | (5-10 mg) | 2.749 | (11-20 mg) | 3.439 | (21-30 mg) |

CUSTOM PEPTIDE MODIFICATION >95% (in DKK)

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|-------------|-------------|--------------|--------------|--------------|---------------|
| Acetylation (N-Terminal) | 173 | 206 | 240 | 327 | 394 | 532 |
| Acetylation (Lys) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Formylation (N-Terminal) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Fatty acid (N-Terminal) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Myristic acid (N-Terminal) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Palmytolyl (N-Terminal) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Cys(Acm), Cys(tBu) | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| Benzoyloxycarbonylation (CBZ) | 173 | 206 | 240 | 327 | 394 | 532 |
| Amidation (C-Terminal) | 173 | 206 | 240 | 327 | 394 | 532 |
| p-Nitroanilide (pNA, C-Terminal) | 910 | 935 | 969 | 1.064 | 1.389 | 1.526 |
| AMC (C-Terminal) | 1.252 | 1.278 | 1.320 | 1.406 | 1.998 | 2.126 |
| Succinylation (Suc, N-Terminal) | 300 | 335 | 369 | 463 | 592 | 721 |
| NHS (OSu, C-Terminal) | 3.190 | 3.223 | 3.258 | 3.352 | 4.322 | 4.459 |

Special amino acid:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|-------------|-------------|-------------|--------------|--------------|--------------|---------------|
| D-Ile | 823 | 849 | 883 | 978 | 1.364 | 1.501 |

| | | | | | | |
|--|----------------|-------|-------|-------|-------|-------|
| D-Arg, D-Cys, D-Asp, D-Asn, D-Glu, D-Gln, D-Ser, D-His, D-Thr, D-Trp, D- Lys, D-Tyr, D-Orn, Orn, Abu, Aib, (D)1-Nal, (D)2-Pal, (D)4-Cl-Phe, Nva, Nle, Hse, Hcy, Pen, Mpa | 600 | 635 | 669 | 764 | 1.047 | 1.183 |
| N-Methyl amino acid (Ala, Phe, Leu, Ile, Val, Gly, Met) | 3.190 | 3.223 | 3.258 | 3.352 | 4.322 | 4.459 |
| D-Ala, D-Leu, D-Met, D-Pro, D-Val, D-Phe, b-Ala, pGlu, Hyp, Cit | 386 | 421 | 455 | 550 | 704 | 833 |
| Other amino acids | Please inquire | | | | | |
| Dinitrobenzoylation (Lys) | 1.252 | 1.278 | 1.320 | 1.406 | 1.998 | 2.126 |
| Lys(Me ₂) | 1.252 | 1.278 | 1.320 | 1.406 | 1.998 | 2.126 |
| Phosphorylation(Tyr, Ser, Thr, single site) | 1.252 | 1.278 | 1.320 | 1.406 | 1.998 | 2.126 |
| Tyr(SO ₃ H ₂) | 2.332 | 2.358 | 2.392 | 2.486 | 3.635 | 3.772 |
| Ser(octanoic acid) | 3.190 | 3.223 | 3.258 | 3.352 | 4.322 | 4.459 |

Fluorescence/Dye/Biotin Labeling:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|-------|-------|-------|-------|-------|--------|
| Biotin (N-Terminal, Y/N Ahx) | 429 | 429 | 429 | 429 | 652 | 652 |
| Biotin (Lys in sequence) | 1.724 | 1.724 | 1.724 | 1.724 | 2.590 | 2.590 |
| Biotin (without Lys in sequence) | 1.895 | 1.930 | 1.964 | 2.059 | 2.984 | 3.121 |
| FITC/5-FAM (N-Terminal, Y/N Ahx) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| Dansyl (N-Terminal, Y/N Ahx) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| MCA (N-Terminal) | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| HYNIC (N-Terminal) | 1.947 | 1.947 | 1.947 | 1.947 | 2.890 | 2.890 |
| DTPA (N-Terminal) | 1.947 | 1.947 | 1.947 | 1.947 | 2.890 | 2.890 |

Cyclic peptide:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|----------------------------------|--------|--------|--------|--------|--------|--------|
| Disulfide bridge 1 st | 1.724 | 1.724 | 1.724 | 1.724 | 2.590 | 2.590 |
| Disulfide bridge 2 nd | 3.456 | 3.456 | 3.456 | 3.456 | 5.178 | 5.178 |
| Disulfide bridge 3 rd | 17.257 | 17.257 | 17.257 | 17.257 | 25.890 | 25.890 |
| Amide cyclic (Side chain, end) | 5.178 | 5.178 | 5.178 | 5.178 | 6.730 | 6.730 |

Quenched fluorescent peptide:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|-------------------------------|-------|-------|-------|-------|-------|--------|
| Abz/ Tyr (3-NO ₂) | 1.595 | 1.595 | 1.595 | 1.595 | 2.290 | 2.290 |
| EDANS or DABCYL | 2.590 | 2.590 | 2.590 | 2.590 | 3.884 | 3.884 |

Multiple Antigenic Peptide System:

| Name | 1 mg | 5 mg | 10 mg | 25 mg | 50 mg | 100 mg |
|--|-------|-----------|-------|------------|-------|------------|
| Asymmetric 4 branches | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| Asymmetric 8 branches | 1.081 | 1.081 | 1.081 | 1.081 | 1.595 | 1.595 |
| BSA | 2.507 | 2.507 | 2.507 | 2.507 | 3.260 | 4.025 |
| Aliquoting (each) | | | | | | 41,4 |
| Amino Acid Analysis (AAA) – qualitative | | | | | | 429 |
| KLH | 2.749 | (5-10 mg) | 2.749 | (11-20 mg) | 3.439 | (21-30 mg) |

Price list valid from December 1st 2021

Prices are in DKK excl. VAT

Catalog prices are subject to change without notice.

Please note: all peptides listed in this website are for research or production use only, not for direct human use.